

	Type	Hits	Search Text	DBs
1	BRS	451686	memory to memory	USPAT
2	BRS	0	"memory to memory"	USPAT
3	BRS	17384	memory adj memory	USPAT
4	BRS	0	memory adj memory adj instruction adj set	USPAT
5	BRS	9	memory adj memory adj instruction	USPAT
6	BRS	73502	memory near2 memory	USPAT
7	BRS	59	(source near2 memory) same (source near2 register) same (destination near2 memory)	USPAT
8	BRS	0	memory adj to adj memory	USPAT
9	BRS	17384	memory adj memory	USPAT
10	BRS	96	(memory adj memory) near2 instruction	USPAT
11	BRS	208	(memory adj memory) near2 instruction	USPAT
12	BRS	0	(memory adj memory) near2 (add adj instruction)	USPAT
13	BRS	3	(memory adj memory) with (add adj instruction)	USPAT
14	BRS	342	"memory-to-memory"	USPAT
15	BRS	189	"memory-to-memory" and (add)	USPAT
16	BRS	27	"memory-to-memory" and (add adj instruction)	USPAT
17	BRS	0	6112019.pn	USPAT
18	BRS	1	6112019.pn.	USPAT
19	BRS	1	6112019.pn.	USPAT
20	BRS	51	(memory adj source) with memory adj destination	USPAT
21	BRS	18625	fixed adj length	USPAT
22	BRS	280	fixed adj length adj instruction	USPAT
23	BRS	15	benefit\$3 or advantag\$3) with(fixed adj length adj instruction	USPAT
24	BRS	1	"5394529".PN.	USPAT

	Type	Hits	Search Text	DBs
25	BRS	1	"5317740".PN.	USPAT
26	BRS	9189	RISC	USPAT
27	BRS	239	benefit\$3 or advantag\$3) with((fixed adj length adj instruction)or RISC	USPAT
28	BRS	44	benefit\$3 or advantag\$3) with((fixed adj length adj instruction)or RISC and "32"	USPAT
29	BRS	33	benefit\$3 or advantag\$3) with((fixed adj length adj instruction)or RISC and "32" near2 bit	USPAT

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	1	4777587.pn.	USPA T
2	BRS	L2	427	712/221,222.ccls.	USPA T